


BRIDH
ceramica



**DOUBLE
CHARGE**
Vitrified Tiles

COLLECTION - 2024

600x600mm

Glorious Finish

Elevate your space with our 600x600mm double charge tiles, seamlessly combining exciting designs and enduring durability. Perfect even for high-traffic areas or any place, these tiles offer timeless elegance, ensuring your interiors stay stylish and resilient for years to come.



600x600mm



Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



WEAR
RESISTANCE



HYGIENIC
SURFACE



SCRATCH
RESISTANCE



ECO
FRIENDLY







STAIN
RESISTANCE







DIMENSIONAL
STABILITY

INDEX

IMPERIL SERIES





ROYAL SERIES



PLAIN SERIES

RUBY SERIES



BRIDH
ceramica

IMPERIAL
BEIGE

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features

-  FROST RESISTANCE
-  RESISTANCE TO FIRE
-  WATERPROOF SURFACE
-  FLEXURAL STRENGTH
-  CHEMICAL RESISTANCE
-  LIGHT WEIGHT



Preview of
Imperial Beige

BRIDH
ceramica

IMPERIAL
GOLD

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

 **DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Imperial Gold

BRIDH
ceramica

IMPERIAL
MELODY

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Imperial Melody

BRIDH
ceramica

IMPERIAL
PINK

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Imperial Pink

BRIDH
ceramica

IMPERIAL
PISTA

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features

-  FROST RESISTANCE
-  RESISTANCE TO FIRE
-  WATERPROOF SURFACE
-  FLEXURAL STRENGTH
-  CHEMICAL RESISTANCE
-  LIGHT WEIGHT



Preview of
Imperial Pista

BRIDH
ceramica

IMPERIAL
STONE

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Imperial Stone

BRIDH
ceramica

IMPERIAL
WHITE

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

 **DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE




FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE




LIGHT
WEIGHT



Preview of
Imperial White

BRIDH
ceramica



ROYAL
CHERRY

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Royal Cherry

BRIDH
ceramica

ROYAL
GRANITO

Size
600x600mm

Thickness
8mm


Finish
Polished

BRIDH
ceramica


 **DOUBLE
CHARGE**
Vitrified Tiles

Product Features

- | | | |
|--|---|--|
| 
FROST
RESISTANCE | 
RESISTANCE
TO FIRE | 
WATERPROOF
SURFACE |
| 
FLEXURAL
STRENGTH | 
CHEMICAL
RESISTANCE | 
LIGHT
WEIGHT |



BRIDH
ceramica



ROYAL
ROSA

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Royal Rosa

BRIDH
ceramica



ROYAL
TIGER

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Royal Tiger

BRIDH
ceramica

PLAIN
WHITE

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

 **DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE




FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Plain White

BRIDH
ceramica

RUBY
BLACK

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE



FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Ruby Black

BRIDH
ceramica

RUBY
BROWN

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

 **DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE




FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Ruby Brown

BRIDH
ceramica

RUBY
SKY

Size
600x600mm

Thickness
8mm

Finish
Polished

BRIDH
ceramica

**DOUBLE
CHARGE**
Vitrified Tiles

Product Features



FROST
RESISTANCE



RESISTANCE
TO FIRE



WATERPROOF
SURFACE




FLEXURAL
STRENGTH



CHEMICAL
RESISTANCE



LIGHT
WEIGHT



Preview of
Ruby Sky

Technical Specification —

Sr. No.	PROPERTY	International Std. ISO 13006/EN 176 Group Bla	BRIDH Value	Method of Testing
1.	Deviation in Length	±0.6%	±0.1%	EN 98
2.	Deviation in Thickness	±0.5%	±0.1%	EN 98
3.	Straightness of Sides	±0.5%	±0.1%	EN 98
4.	Rectangularity	±0.6%	±0.2%	EN 98
5.	Surface Flatness	±0.5%	±0.2%	EN 98
6.	Water absorption *	<0.5%	<0.03%	EN 99
7.	Mohs hardness *	> 6	>8	EN 101
8.	Flexural Straightness *	> 27 N/mm ²	> 47 N/mm ²	EN 100
9.	Abrasion resistance	< 204 mm ³	< 144 mm ³	EN 102
10.	Skid Resistance (Friction Coefficient)	> 0.4	> 0.6	ASTM C-1028
11.	Breaking Strength *	1113 N	2830 N	ASTM C-648
12.	Density (g/cc)	> 2	2.4	DIN 51082
13.	Frost resistance	Frost proof	Frost proof	EN 202
14.	Chemical Resistance	No damage	No damage	EN 106
15.	Thermal Shock Resistance	No damage	No damage	EN 104
16.	Colour Resistance	No damage	No damage	DIN 51094
17.	Thermal Expansion	< 9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	EN 103
18.	Stain Resistance	Resistant	Resistant	ISO 10545-14
19.	Moisture Expansion	Nil	Nil	ISO 10545-10
20.	Glossiness	—	Min. 65% reflection	Glossmeter

Packing Details —

Size	Normal Thickness	No. of Tiles/Box	Coverage Area	Wt. of Box
600x600 mm	9 mm	4 pcs.	1.44 sq. mt.	24.50 Kgs. (approx)

DISCLAIMER : We reserves the right to delete & amend either totally of partially, any of the colours, shapes, sizes, references and other technical specifications contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of colours, sizes, references should be verified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE ENTERTAINED ON TILES ALREADY LAID/FIXED.

BRIDH
ceramica



DHAVAL BHATT
(Director)
+91 9702382809



BRIDH CERAMICA

Block No.2, Rameshwar Society, Sanala Road, Opp. GIDC,
Morbi - 363642. (Gujarat) INDIA.



dbhat16@gmail.com | dhaval@bridhceramica.com