


THERE ARE NO LIMITS TO SPACE,  
THERE ARE NO LIMITS TO DESIGN.

NEW STEP IN THIS DIRECTION. A BRAND  
FOCUSED ON LARGE FORMAT CERAMICS, WHERE  
WE HAVE APPLIED THE LATEST MANUFACTURING  
TECHNOLOGIES TO CREATE AN ADVANCED PRODUCT, WITH  
THE BEST TECHNICAL AND AESTHETIC FEATURES.


**BRIDH**  
ceramica

P R E S E N T I N G  
F U L L B O D Y C O L L E C T I O N


2 S I Z E | 2 F I N I S H | 3 S E R I E S



S A L T & P A P E R S E R I E S



P I X E L S E R I E S



P L A I N C O L O R S E R I E S



## EDGE PROFILE



MICRO BEVEL



DOUBLE STRAIGHT  
ROUNDED EDGE



ROUNDED EDGE AT 45°



DEMI BULLNOSS



STRAIGHT SQUARED EDGE



ROUNDED STRAIGHT EDGE



SQUARED EDGE AT 45°



DOUBLE STRAIGHT  
SQUARED EDGE



HALF BULLNOSS



FULL BULLNOSS

## JOINT POSSIBILITIES




BIRDS BEAK



45° CORNER




SOFT CORNER



# BRIDH

ceramica

## TECHNICAL ADVANTAGE





APPLICATION POSSIBILITIES






APPLICATION POSSIBILITIES



World's First pdf with

## MAGIC PANEL TECHNOLOGY




MAGIC PANEL IS THE WORLD'S MOST ADVANCED TECHNOLOGY THAT PRESENTS A SLAB IN AN ULTRA-SHARP MANNER. WITH THIS MAGIC PANEL, WE SCAN THE ENTIRE ENVIRONMENT IN 3D ORIENTATIONS AND THEN PLACE THE SLAB IN ACTUAL SIZE SO THAT THE USER CAN EXPLORE A SLAB'S DESIGN AS IF IT IS ACTUALLY PRESENT IN FRONT OF HIS EYES.

HE CAN EVEN MOVE AROUND THE SLAB TO SEE THE DESIGN IN A MORE DETAILED MANNER.

THIS FUNCTIONALITY OPENS A NEW OPPORTUNITY FOR DEALERS, ARCHITECTS, AND EVEN MANUFACTURERS WHERE THEY CAN VIRTUALLY PRESENT THEIR SLAB IN AN ACTUAL REAL ENVIRONMENT TO THEIR CUSTOMERS WITHOUT HAVING TO CARRY THE PHYSICAL SAMPLE EVERYWHERE.





EXPLORE WITH  
MAGIC PANEL

TAP ON THIS ICON WHICH  
IS  
AVAILABLE ON EVERY  
PRODUCT PAGE TO GET A  
REAL SCALE SLAB PANEL  
INSIDE YOUR ENVIRON-  
MENT

**FOR IPHONE USERS ONLY**




IF YOU HAVE  
AN IPHONE WHICH  
HAS AN OS  
VERSION ABOVE  
IOS 12  
THEN TAP ON  
THIS ICON





EXPLORE IN  
360 DOME  
MOCKUP



GRES  
MATT  
GMP

SNP GREY

EXTRA  
GLOSS  
★



EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION

800X2400MM | 800X3000MM

15MM FULLBODY



# SNP BLACK

REPRESENTS THE PERFECT  
COMBINATION OF ELEGANT  
SOPHISTICATION AND STRENGTH.



# SNP BLACK




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

# SNP BROWN

REPRESENTS THE PERFECT  
COMBINATION OF UTMOST MODESTY  
AND MINIMALISM.



# SNP BROWN




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY



# SNP GREY

REPRESENTS THE PERFECT  
COMBINATION OF AESTHETIC  
SENSE AND CLASS.



# SNP GREY




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

# SNP IVORY

REPRESENTS THE PERFECT  
COMBINATION OF ABSOLUTE  
SIMPLICITY AND ADAPTABILITY.



# SNP IVORY




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

# SNP MASHAROOM

REPRESENTS THE PERFECT  
COMBINATION OF EFFORTLESS  
VERSATILITY AND WARMTH.



# SNP MASHAROOM




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

# SNP VERDE

REPRESENTS THE PERFECT  
COMBINATION OF MODERN DESIGN AND  
DURABILITY.



# SNP VERDE




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP




EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY







# PIXEL BLACK

REPRESENTS THE PERFECT  
COMBINATION OF ELEGANT  
SOPHISTICATION AND STRENGTH.



# PIXEL BLACK




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

# PIXEL WHITE

REPRESENTS THE PERFECT  
COMBINATION OF UNMATCHED BEAUTY  
AND BRILLIANCE.



# PIXEL WHITE




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY | MATT  
800X3000MM | GLOSSY

15MM FULLBODY





B R O W N

IT EMBRACES CLASSICALITY AND  
SYMBOLIZES UNPARALLELED  
FUNCTIONALITY.



# BROWN




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY



# STEEL GREY

IT EMBRACES NEUTRALITY AND  
SYMBOLIZES UNDERSTATED URBANITY.



# STEEL GREY



EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION

800X2400MM | GLOSSY/MATT

15MM FULLBODY



# S M O K E A M B E R

IT EMBRACES INTEGRITY AND  
SYMBOLIZES SERENITY.



# SMOKE AMBER



EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION

800X2400MM | GLOSSY/MATT  
800X3000MM | GLOSSY/MATT

15MM FULLBODY




# GRAPHITE GREY

IT EMBRACES TRANQUILITY AND  
SYMBOLIZES EXTRAORDINARY  
SUBTLETY.



# GRAPHITE GREY




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY/MATT  
800X3000MM | GLOSSY/MATT

15MM FULLBODY

# NANO WHITE

IT EMBRACES TRANQUILITY AND  
SYMBOLIZES EXTRAORDINARY  
SUBTLETY.



# NENO WHITE



EXPLORE IN  
AUGMENTED  
REALITY




EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION

800X2400MM | GLOSSY  
800X3000MM | GLOSSY

15MM FULLBODY





# NANO BLACK

IT EMBRACES TRANQUILITY AND  
SYMBOLIZES EXTRAORDINARY  
SUBTLETY.



# NANO BLACK




EXPLORE IN  
AUGMENTED  
REALITY



EXPLORE IN  
360 DOME  
MOCKUP



EXPLORE IN  
WALKTHROUGH  
ANIMATION



800X2400MM | GLOSSY  
800X3000MM | GLOSSY

15MM FULLBODY

# TECHNICAL SPECIFICATION

## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF BRIDH	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness ( Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
<b>Structural Properties</b>			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 42.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m <sup>3</sup> m	Max. 132m <sup>3</sup> m	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
<b>Safety Properties</b>			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy PO(<sup>12</sup>) / Posh ≥P <sup>1(12-24)</sup>	BS 7976-2
Slip resistance(DCOF)( R value) ##	as per mfg.	R9 to R <sup>13</sup>	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

\* With Nano polished

## PACKING DETAIL

SIZE	THICKNESS	NO. OF SLAB/BOX	WEIGHT/BOX	COVERAGE AREA
80x240 cm	1.5 cm	1 Pcs.	67kg approx	20.66 Sq.ft.
80x300 cm	1.5 cm	1 Pcs.	83kg approx	25.83 Sq.ft.

# TOUCH WITH US.



DHAVAL BHATT  
(Director)  
+91 9702382809



## **BRIDH CERAMICA**

Block No.2, Rameshwar Society, Sanala Road, Opp. GIDC,  
Morbi - 363642. (Gujarat) INDIA.



dbhat16@gmail.com | dhaval@bridhceramica.com