


FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY

FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY

BRIDH ceramica

FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY

FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY | FULL BODY




THERE ARE NO LIMITS TO SPACE,
THERE ARE NO LIMITS TO DESIGN.

NEW STEP IN THIS DIRECTION. A BRAND
FOCUSED ON LARGE FORMAT CERAMICS, WHERE
WE HAVE APPLIED THE LATEST MANUFACTURING
TECHNOLOGIES TO CREATE AN ADVANCED PRODUCT, WITH
THE BEST TECHNICAL AND AESTHETIC FEATURES.


BRIDH
ceramica

PRESENTING
FULLBODY COLLECTION


2 SIZE | 2 FINISH | 3 SERIES



SALT & PAPER SERIES



PIXEL SERIES



PLAIN COLOR SERIES



EDGE PROFILE



MICRO BEVEL



DOUBLE STRAIGHT
ROUNDED EDGE



ROUNDED EDGE AT 45°



DEMI BULLNOSS



STRAIGHT SQUARED EDGE



ROUNDED STRAIGHT EDGE



SQUARED EDGE AT 45°



DOUBLE STRAIGHT
SQUARED EDGE



HALF BULLNOSS



FULL BULLNOSS

JOINT POSSIBILITIES




BIRDS BEAK



45° CORNER




SOFT CORNER



BRIDH


ceramica

TECHNICAL ADVANTAGE






APPLICATION POSSIBILITIES






APPLICATION POSSIBILITIES



World's First pdf with


MAGIC PANEL TECHNOLOGY



MAGIC PANEL IS THE WORLD'S MOST ADVANCED TECHNOLOGY THAT PRESENTS A SLAB IN AN ULTRA-SHARP MANNER. WITH THIS MAGIC PANEL, WE SCAN THE ENTIRE ENVIRONMENT IN 3D ORIENTATIONS AND THEN PLACE THE SLAB IN ACTUAL SIZE SO THAT THE USER CAN EXPLORE A SLAB'S DESIGN AS IF IT IS ACTUALLY PRESENT IN FRONT OF HIS EYES.

HE CAN EVEN MOVE AROUND THE SLAB TO SEE THE DESIGN IN A MORE DETAILED MANNER.

THIS FUNCTIONALITY OPENS A NEW OPPORTUNITY FOR DEALERS, ARCHITECTS, AND EVEN MANUFACTURERS WHERE THEY CAN VIRTUALLY PRESENT THEIR SLAB IN AN ACTUAL REAL ENVIRONMENT TO THEIR CUSTOMERS WITHOUT HAVING TO CARRY THE PHYSICAL SAMPLE EVERYWHERE.



**EXPLORE WITH
MAGIC PANEL**

TAP ON THIS ICON WHICH IS AVAILABLE ON EVERY PRODUCT PAGE TO GET A REAL SCALE SLAB PANEL INSIDE YOUR ENVIRONMENT

FOR IPHONE USERS ONLY




IF YOU HAVE
AN IPHONE WHICH
HAS AN OS
VERSION ABOVE
IOS 12
THEN TAP ON
THIS ICON





EXPLORE IN
360 DOME
MOCKUP



GRES
MATT
GMP

SNP GREY

EXTRA
GLOSS
★



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION

800X2400MM | 800X3000MM

15MM FULLBODY

SNP BLACK

REPRESENTS THE PERFECT
COMBINATION OF ELEGANT
SOPHISTICATION AND STRENGTH.



SNP BLACK



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

SNP BROWN

REPRESENTS THE PERFECT
COMBINATION OF UTMOST MODESTY
AND MINIMALISM.



SNP BROWN




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

SNP GREY

REPRESENTS THE PERFECT
COMBINATION OF AESTHETIC
SENSE AND CLASS.



SNP GREY




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

SNP IVORY

REPRESENTS THE PERFECT
COMBINATION OF ABSOLUTE
SIMPLICITY AND ADAPTABILITY.



SNP IVORY




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

SNP MASHAROOM

REPRESENTS THE PERFECT
COMBINATION OF EFFORTLESS
VERSATILITY AND WARMTH.



SNP MASHAROOM




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY



SNP VERDE

REPRESENTS THE PERFECT
COMBINATION OF MODERN DESIGN AND
DURABILITY.



SNP VERDE




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP




EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY



PIXEL BLACK

REPRESENTS THE PERFECT
COMBINATION OF ELEGANT
SOPHISTICATION AND STRENGTH.



PIXEL BLACK




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT

15MM FULLBODY

PIXEL WHITE

REPRESENTS THE PERFECT
COMBINATION OF UNMATCHED BEAUTY
AND BRILLIANCE.



PIXEL WHITE




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY | MATT
800X3000MM | GLOSSY

15MM FULLBODY

B R O W N

IT EMBRACES CLASSICALITY AND
SYMBOLIZES UNPARALLELED
FUNCTIONALITY.



BROWN



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION

800X2400MM | GLOSSY/MATT



15MM FULLBODY

STEEL GREY

IT EMBRACES NEUTRALITY AND
SYMBOLIZES UNDERSTATED URBANITY.



STEEL GREY



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION

800X2400MM | GLOSSY/MATT



15MM FULLBODY

S M O K E A M B E R

IT EMBRACES INTEGRITY AND
SYMBOLIZES SERENITY.



SMOKE AMBER



EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION

800X2400MM | GLOSSY/MATT
800X3000MM | GLOSSY/MATT

15MM FULLBODY



GRAPHITE GREY

IT EMBRACES TRANQUILITY AND
SYMBOLIZES EXTRAORDINARY
SUBTLETY.



GRAPHITE GREY




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY/MATT
800X3000MM | GLOSSY/MATT

15MM FULLBODY

NANO WHITE

IT EMBRACES TRANQUILITY AND
SYMBOLIZES EXTRAORDINARY
SUBTLETY.



NENO WHITE



EXPLORE IN
AUGMENTED
REALITY




EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION

800X2400MM | GLOSSY
800X3000MM | GLOSSY

15MM FULLBODY



NANO BLACK

IT EMBRACES TRANQUILITY AND
SYMBOLIZES EXTRAORDINARY
SUBTLETY.



NANO BLACK




EXPLORE IN
AUGMENTED
REALITY



EXPLORE IN
360 DOME
MOCKUP



EXPLORE IN
WALKTHROUGH
ANIMATION



800X2400MM | GLOSSY
800X3000MM | GLOSSY

15MM FULLBODY

TECHNICAL SPECIFICATION

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF BRIDH	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	$\Delta E < 1.00$	$\Delta E < 0.30$	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175m ³ m	Max. 132m ³ m	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy PO(¹²) / Posh ≥P ¹⁽¹²⁻²⁴⁾	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished

PACKING DETAIL

SIZE	THICKNESS	NO. OF SLAB/BOX	WEIGHT/BOX	COVERAGE AREA
80x240 cm	1.5 cm	1 Pcs.	67kg approx	20.66 Sq.ft.
80x300 cm	1.5 cm	1 Pcs.	83kg approx	25.83 Sq.ft.

TOUCH WITH US.



DHAVAL BHATT
(Director)
+91 9702382809



BRIDH CERAMICA

Block No.2, Rameshwar Society, Sanala Road, Opp. GIDC,
Morbi - 363642. (Gujarat) INDIA.



dbhat16@gmail.com | dhaval@bridhceramica.com