

**BRIDH**  
ceramica

**FULLBODY**  
15MM

80x240cm  
80x300cm



A NEW DIMENSION  
TO YOUR SPACE.

**FEEL THE ARTS  
EXPRESSION  
OF ARCHITECTURE**

**GLAM**  
SURFACE



FROM THE  
BEGINNING  
TO  
THE FUTURE



# MOVE ON DISCOVERY



→ A NEW DIMENSION  
TO YOUR SPACE.


# A MIX OF CONTEMPORARY AESTHETICS AND TIMELESS ELEGANCE



Glam Surface offers authentic and refined surfaces created by depositing porcelain stoneware flakes on the material. This technique produces a tangible and three-dimensional effect. The product comes in five colors: White, Nero, Crema, Choco, Charcoal, and Barly. It has a thickness of 15mm and two surface options: Gress Matt and Extra Gloss.



A NEW DIMENSION TO YOUR SPACE.



Glam Surface is a contemporary and sustainable product that combines Earth and technology. It is a full-bodied technical material created by blending small fragments and pigments of different colors. The series offers six essential hues that harmonize with natural elements, providing easily matchable tones.

The collection is divided into two aesthetic families: Ground, with a neutral color palette, and Flakes, with six intense colors. The product's potential uses are further enhanced by the availability of new finishes, Comfort and Glossy Bright.

# DISTINCTIVE PERSONALITIES

# A COMPLETE PRODUCT SYSTEM

A NEW DIMENSION TO YOUR SPACE.


1.  **FACADES**


2.  **FLOOR & WALL**

3.  **FURNITURE**

4.  **OUTDOOR**

5.  **COUNTER TOPS**

6.  **SINKS**



# ENVIRONMENTAL SUSTAINABILITY



A NEW DIMENSION TO YOUR SPACE.



EXTRA SIZE



HEAT RESISTANT



FROST RESISTANT



SCRATCH RESISTANT



ACID AND ALKALI RESISTANT



STAIN RESISTANT



WATERPROOF AND NONPOROUS



HYGIENIC, MOLD AND MILDEW RESISTANT



LOW MAINTENANCE



CHEMICAL RESISTANT

6 COLOR  
2 SIZE  
2 FINISH

TO YOUR SPACE. → A NEW DIMENSION



GLAM BARLEY

GLAM CREMA

GLAM COCOA

GLAM CHARCOAL

GLAM WHITE

GLAM NERO



TO YOUR SPACE. → A NEW DIMENSION


Note: We illuminate the tile with additional lighting to showcase a sparkling effect. Therefore, we kindly request you to assess the actual piece for precise color representation before making the final decision on the product.

EXTRA GLOSS  
✦ ✦ ✦

GRES MATT  
GM

GLAM BARLEY


Actual Tile Photography





# GLAM BARLEY



ENHANCE THE BEAUTY OF  
YOUR KITCHEN WITH THE EXQUISITE  
CHARM OF OUR SLAB TILES,  
CREATING A TRULY  
STUNNING CULINARY SPACE

 **FULLB DY**  
15MM



**GLAM  
BARLEY**

<b>800 X 2400 MM</b>	<b>800 X 3000 MM</b>
----------------------	----------------------

A NEW DIMENSION TO YOUR SPACE.



Countertop & Platform  
Glam Barley - Extra Gloss

TO YOUR SPACE. → A NEW DIMENSION


Note: We illuminate the tile with additional lighting to showcase a sparkling effect. Therefore, we kindly request you to assess the actual piece for precise color representation before making the final decision on the product.

EXTRA  
GLOSS  
✦ ✦ ✦


GRES  
MATT  
GM

GLAM  
CREMA

Actual Tile Photography



# GLAM CREMA



REVITALIZE YOUR BATHROOM  
WITH THE EXQUISITE ELEGANCE OF  
OUR SLAB TILES, CREATING  
A STUNNING SPACE THAT EXUDES  
BEAUTY AND LUXURY



**FULL BODY**  
15MM



**GRES  
MATT**

**EXTRA  
GLOSS**

**GLAM  
CREMA**

**800 X 2400 MM**

**800 X 3000 MM**

A NEW DIMENSION TO YOUR SPACE.



Wall  
Glam Crema - Gres Matt

Floor  
Glam Crema - Gres Matt

Wash Basin  
Glam Crema - Gres Matt



TO YOUR SPACE. → A NEW DIMENSION


Note: We illuminate the tile with additional lighting to showcase a sparkling effect. Therefore, we kindly request you to assess the actual piece for precise color representation before making the final decision on the product.

EXTRA  
GLOSS  
✦ ✦ ✦


GRES  
MATT  
GM

GLAM  
COCOA

Actual Tile Photography




# GLAM COCOA



ELEVATE YOUR WORKSPACE TO  
NEW HEIGHTS OF BEAUTY  
WITH YOUR STUNNING TILES, INSPIRING  
CREATIVITY AND SOPHISTICATION



**FULLB DY**  
15MM



**GRES  
MATT**

**EXTRA  
GLOSS**

**GLAM  
COCOA**

**800 X 2400 MM**

**800 X 3000 MM**

A NEW DIMENSION TO YOUR SPACE.



Wall  
Glam Cocoa - Gres Matt

Floor  
Glam White - Gres Matt

Working Table & Window Seal  
Glam Cocoa - Gres Matt




TO YOUR SPACE. → A NEW DIMENSION

Note: We illuminate the tile with additional lighting to showcase a sparkling effect. Therefore, we kindly request you to assess the actual piece for precise color representation before making the final decision on the product.

EXTRA GLOSS  
✦ ✦ ✦

GRES MATT  
GM


GLAM  
CHARCOAL  
Actual Tile Photography



ENHANCE THE ALLURE F Y UR  
SH WR M WITH THE  
EXQUISITE BEAUTY F UR TILES,  
TRANSF RMING IT INT A  
CAPTIVATING SPACE



**FULLB DY**  
15MM



GRES  
MATT

EXTRA  
GLOSS

**GLAM  
CHARCOAL**

**800 X 2400 MM**

**800 X 3000 MM**

A NEW DIMENSION TO YOUR SPACE.



Wall 1  
Glam White - Gres Matt

Wall 2  
Glam Charcoal - Extra Gloss

Floor  
Glam Charcoal - Extra Gloss

Platform 1  
Glam Charcoal - Extra Gloss

Platform 2  
Glam White - Gres Matt



TO YOUR SPACE. → A NEW DIMENSION


Note: We illuminate the tile with additional lighting to showcase a sparkling effect. Therefore, we kindly request you to assess the actual piece for precise color representation before making the final decision on the product.

EXTRA  
GLOSS




GLAM  
WHITE

Actual Tile Photography




# GLAM WHITE



ELEVATE YOUR STAIRCASE WITH A  
WORK OF ART WITH THE  
CAPTIVATING BEAUTY OF OUR  
FULL-BODY TILES, ADDING A TOUCH OF  
ELEGANCE TO YOUR SPACE



**FULLB DY**  
15MM



**GRES  
MATT**  


**EXTRA  
GLOSS**  


**GLAM  
WHITE**

**800 X 2400 MM**

**800 X 3000 MM**

A NEW DIMENSION TO YOUR SPACE.



Floor  
Glam White - Extra Gloss

Staircase  
Glam White - Extra Gloss

TO YOUR SPACE. → A NEW DIMENSION


Note: We illuminate the tile with additional lighting to showcase a sparkling effect. Therefore, we kindly request you to assess the actual piece for precise color representation before making the final decision on the product.

EXTRA GLOSS  
✦ ✦ ✦

GRES MATT  
GM

GLAM NERO

Actual Tile Photography




# GLAM NERO



TRANSFORM YOUR KITCHEN  
COUNTERTOP INTO A STUNNING  
FASCINATING INTERIOR WITH THE  
BREATHTAKING  
BEAUTY OF OUR SLAB TILES



**FULLB DY**  
15MM



GRES  
MATT

EXTRA  
GLOSS

**GLAM  
NERO**

**800 X 2400 MM**

**800 X 3000 MM**

A NEW DIMENSION TO YOUR SPACE.



Floor  
Glam Crema - Gres Matt

Platform  
Glam Nero - Extra Gloss

Window Seal  
Glam Nero - Gres Matt



## Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

**Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.**

**BRIDH**  
ceramica

## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS15622:2017 Gr.Bla	MEAN VALUE OF BRIDH	TEST METHOD
<b>Regulatory Properties</b>				
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Deviation in thickness	± 5.00 % (±0.50mm)	± 5.00 %	± 4.00 %	ISO 10545-2 & IS 13630-1
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.50 %	± 0.20 %	ISO 10545-2 & IS 13630-1
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.50 %	± 0.10 %	ISO 10545-2 & IS 13630-1
Surface quality	> 95% defects free	> 95% defects free	> 95% defects free	ISO 10545-2 & IS 13630-1
Small color difference (for plain color)	ΔE < 0.75	N.A.	ΔE < 0.30	ISO 10545-16
Glossiness (with nano polished)	as per mfg.	as per mfg.	> 90°*	Glossmeter 60°
Glossiness (without polished)	as per mfg.	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin)	as per mfg.	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
<b>Structural Properties</b>				
Water absorption	≤ 0.50 %	≤ 0.080 %	≤ 0.060 %	ISO 10545-3 & IS 13630-2
Bulk density	as per mfg.	Min. 2.20 g/cc	> 2.28 gm/cc	DIN51082 & IS 13630-2
<b>Massive Mechanical Properties</b>				
Modulus of rupture	Min. 35.0 N/mm	Min. 35.0 N/mm	Min. 40.0 N/mm	ISO 10545-4 & IS 13630-6
Breaking strength thickness <7.5	Min. 700.0 N	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4 & IS 13630-6
Breaking strength thickness ≥7.5 (15mm)	Min. 1300.0 N	Min. 1300.0 N	Min. 5000.0 N	ISO 10545-4 & IS 13630-6
<b>Surface Mechanical Properties</b>				
MOH'S hardness	as per mfg.	Min. 5	Glossy - Min. 4 / Matt - Min. 6	BS EN 15771:2010
Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 140mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO 10545-6 & IS 13630-12
<b>Thermal Hydrometric Properties</b>				
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	Max. 0.02mm/m	ISO 10545-10 & IS 13630-3
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8 & IS 13630-4
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9 & IS 13630-5
Impact resistance(COR)	Min. 0.55	Min. 0.55	Min. 0.55	ISO 10545-5 & IS 13630-14
Frost resistance	as per mfg.	as per mfg.	Frost Proof	ISO 10545-12 & IS 13630-10
<b>Chemical Properties</b>				
Resistance to staining glazed	Min. Class 3	Min. Class 2	Min. Class 4/Min. Class 2	ISO 10545-14 & IS 13630-8
Resistance to household chemicals & swimming pool salts glazed	Min. Class UB	as per mfg.	Min. Class UB/Min. Class A	ISO 10545-13 & IS 13630-8
**Resistance to low concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class ULB***/Min. Class A***	ISO 10545-13 & IS 13630-8
**Resistance to high concentrate acid and alkalis glazed	as per mfg.	as per mfg.	Min. Class UHB***/Min. Class A***	ISO 10545-13 & IS 13630-8
<b>Safety Properties</b>				
Skid resistance(DCOF-DRY)##	as per mfg.	as per mfg.	Polished - < 0.30 / Matt - > 0.40	ANSI/NFSI B101.3-2012
Slip resistance(DCOF)( R value )##	as per mfg.	as per mfg.	R9 to R13	DIN 51130
Fire resistance	as per mfg.	N.A.	Fire Proof	N.A.

\* Glossiness 90% with nano technology  
 \*\* Except Hydrofluoric Acid & it's compound  
 # Unglazed tiles intended for use on floor  
 ## As per customer requirement

## Packing Details

SIZE	ACTULE SIZE	THICKNESS	TILES / BOX	WEIGHT / BOX	COVERAGE AREA / BOX
80x300cm	800x3000mm	15mm	1pc	83 kg (Approx)	25.83 Sq ft 2.40 Sq m
80x240cm	800x2400mm	15mm	1pc	67 kg (Approx)	20.67 Sq ft 1.92 Sq m

# **BRIDH**

ceramica



DHAVAL BHATT  
(Director)  
+91 9702382809



## **BRIDH CERAMICA**

Block No.2, Rameshwar Society, Sanala Road, Opp. GIDC,  
Morbi - 363642. (Gujarat) INDIA.



dbhat16@gmail.com | dhaval@bridhceramica.com